



www.simimonomini.com

Lead me from untruth to truth
Lead me from darkness to light
Lead me from death to Immortality

Bhadaranyaka Upanishad,1,2



All rights reserved. www.simimonomini.com

Kindly Read Disclaimers before read.

<http://www.simimonomini.com/disclaimer.htm>

Continuing Homœopathic Medical Education Services

Series 7

A BRIEF MATERIA MEDICA OF SOME LESSER-KNOWN NOSODES



Compiled by,

Dr. K. S. SRINIVASAN,

For Centre for Excellence in Homœopathy,

Chennai – 600 080.

CONTENTS

1.	Foreword	01
2.	What are these nosodes and their sources	02
3.	Anthracinum	05
4.	Colibacillinum	07
5.	Intestinal bacillus Dysenteriae	10
6.	Intestinal Bacillus Gaertner	12
7.	Intestinal Bacillus Morgan	14
8.	Intestinal Bacillus No. 7	17
9.	Intestinal Bacillus Sycoccus	19
10.	Intestinal Bacillus Proteus	21
11.	Lyssinum	23
12.	Malaria officinalis	26
13.	Malleinum (Hippozaenium)	30
14.	Monilia albicans (Candida albicans)	32
15.	Penicillinum	34
16.	Pyrogenium	38
17.	Streptococcinum	41
18.	Tuberculinum Denys	43
19.	Tuberculinum Marmorek	45
20.	Tuberculinum Residuum	47
21.	Vaccinotoxinum	49
22.	Variolinum	52
23.	Pathological Repertory of the Nosodes	54

FOREWORD

Nosodes are very important medicines in the homœopathic armamentarium. In fact one cannot function effectively without such Nosodes as *Tuberculinum*, *Medorrhinum*, *Psorinum* and of-late *Carcinosinum* to mention only few. We already have several good literature on the Nosodes and lot of information keep pouring in through the homœopathic journals reporting cures. However, there are several 'lesser' Nosodes, for example *Streptococcinum*, *Malaria officinalis* and the Bowel Nosodes which have a great role in our therapeutics, which lie in separate articles, pamphlets, etc. The French School has good literature on such Nosodes as *Tuberculinum Residuum*, *Denys*, *B.C.G.* The late Dr. O.A. JULIAN's Book is valuable in this regard.

Some years ago I came across a Materia Medica by Dr. Walter BUSCHAUER, wherein he has given on one page according to BOENNINGHAUSEN Method – Location, Sensation and Modality and on the opposite page according to KENT – Generals to Particulars. Depending upon the method one chooses to study the remedy which again depends upon the case before one, the information can be obtained. This small Materia Medica of twenty Nosodes before you is on this format. The information has been collected from JULIAN and Dr. BUSCHAUER.

A Pathological Repertory of the Nosodes drawn from Dr. JULIAN is also given.

A very important word of caution. One must study the remedy in different 'source' Materia Medicas before prescribing. This work is only an addition for quick reference and does not replace any extant work.

Feedbacks are requested.

August 2007

K.S. Srinivasan

WHAT ARE THESE NOSODES AND THEIR SOURCES

Nosodes are obtained from:

Microbial cultures,

Viruses,

Antitoxic-serums or Vaccines,

Pathological secretions of a specific disease.

They are sterilised and potentized.

Auto Nosodes come from the same sick person to whom it is applied. Nosodes came into Homoeopathic Materia Medica during HAHNEMANN's time itself. HAHNEMANN reported the proving of *Psorinum* in **STAPF's Archiv 13 (1833) 3, 163-187**. Subsequently HERING (1800-1880) introduced many Nosodes. Samuel SWAN (1814 - 1893) made much contribution in this regard.

Nosodes are used as iso- or homoeo- therapeutically on the basis of their symptom-similarity corresponding to the Law of Similars (as far as they have been proved and the remedy pictures thus obtained); also on their actual ætiology (e.g. *Pertussinum* in a patient who had suffered from Whooping Cough); their anamnestic history (e.g. *Pertussinum* in an asthmatic whose sufferings date back to a suppressed, apparently healed Whooping Cough).

Nosodes generally are applied in treatment of the chronically ill only in infrequent doses (as a rule, only once or twice during a treatment), only in (different) high potencies (30, 200, M) and only in combination with the appropriate homoeo-therapeutic medicine.

According to the French School a *Tuberculin* should never be employed without an earlier (three weeks) drainage so as to avoid an abrupt preliminary aggravation (toxin elimination crisis?).

The "drainage" remedies used by the French School are: *Berberis* (Kidney function remedy: *T.residuum*), *Bryonia* (Rheumatism: *T. residuum*), *Crataegus* (sudden, abrupt weakness: *T Denys*), *Ignatia* (Depression: *Tuberculinum*), *Nux vomica*, (Neurasthenia, sudden affections: *Tuberculinum*, *T. Denys*), *Pulsatilla* (variability: *Tuberculinum*, *T .Denys*, *T.*

Marmorek) *Rhus tox* (Fibrosis, rheumatic complaints: *T. Residuum*) *Solidago* (Kidney function remedy: *T. Marmorek*, *T. residuum*); where one of these remedies or homoeoposoric like *Arsenicum*, *Calcarea phosphoricum*, *Iodum*, *Kali carbonicum*, *Natrum muriaticum*, *Phosphorus*, *Sepia*, *Silicea* seem indicated, it points to, not seldom, a tuberculinic disease.

The most important Nosodes in “psoric”, “syphilitic” or “sycotic” diseases are:

Anthracinum From the secretion of Anthrax Carbuncle

Botulinum	Toxin of Clostridium Botulinum from spoiled Pork
Brucella Melitensis	Extract from cultures of different microbial stocks
Carcinosinum	Believed to be from Carcinoma of breast.
Colibacillinum	Lysates from different microbial stocks
Diphtherinum	Diphtheria toxin
Diphtherotoxinum	Filtered toxin of a di-bacilli culture
Eberthinum	Bacteriolysate from cultures of many stocks of Typhoid
Enterococcinum	Bacteriolysate cultured from different stocks of Enterococcinum

- Bacillus Morgan
- Bacillus Proteus**
- Bacillus No.7**
- Bacillus Gaertner**
- Bacillus Dysenteriae
- Bacillus Sycoccus
- Bacillus No.10
- Bacillus Faecalis

Intestinal Nosodes of Paterson
 They are dilutions of bacterial cultures obtained from faeces inoculated with common cultures

Gonotoxinum	Isotonic common salt suspension of Gonococci cultures
Influenzinum	From virus stocks (Singapore A.5 and A.P.R.8) without adding Alumen

Influenzinum-nosodes (6)	by Dr. NEBEL, combination of many; but not available anymore
Leptospira	Lysate of Leptospira ictero -hemorragiae
Luesinum	From serous fluid of a Syphilitic Chancre
Lyssinum	From Saliva of a Rabid dog
Malandrinum	From the exudates of Malandra of horses untreated by antiseptics
Malaria officinalis	Vegetable Nosode from decomposed marsh-peat
Malleinum	Bacteriolysate from the nasal secretion of Glanders of horse
Medorrhinum	From purulent urethral secretion of different gonorrhoeal patients
Meningococcinum	Bacteriolysate from Meningococcal culture
Monilia Albicans	Bacteriolysate of a culture of Monilia albicans
Morbillinum	From buccopharyngeal exudate of an untreated Measles patient
Mucor Mucedo	Bacteriolysate obtained through isolation and transplanting the mushroom Mucor Mucedo from the culture medium in temperature of 25° C
Paratyphoidinum B	Bacteriolysate from Paratyphoid - B culture
Penicillinum	From the Na. Salt of Benzylpenicillin
Pertussinum	Bacteriolysate from the Sputum of an untreated Whooping Cough patient
Psorinum	From the purulent serum of an Itch vesicle of a patient suffering from Scabies
Pyrogenium	Fluid extract from putrified Beef rectified by alcohol precipitate
Scarlatinum	From desquamated Scabs of a Scarlet Fever patient
Staphylococcinum	Bacteriolysate of cultures of many stocks
Streptococcinum	Bacteriolysate of cultures of Streptococcus Pyogenus and Streptococcus Marcy 433, 434.
Strepto-entero-coccinum	Bacteriolysate of cultures of Strepto-entero-coccus or Enterococcus proteiformis (a species of Streptococcus faecalis) obtained from gingiva
Tuberculinum (Koch)	Glycerin extract of cultures of Human and Bovine sources
T. Aviaire	From cultures of Tubercle Bacilli of birds

T. Bacillinum (Burnett)	From Tuberculous Sputa containing Koch's bacilli
T. B.C.G.	Suspension of live microbes from cultures of artificially attenuated stocks designated under this name by Calmette and Guerin
T. Denys	Broth filtrate of Tubercle Bacilli injected into a Porpoise
T. Marmorek	From Anti-toxic serum
T. Residuum	Glycerin emulsion containing water-insoluble principles of the Tubercle Bacilli
T. Spengler	Immune body obtained from the blood of an immunized Rabbit according to Spengler
Vaccinotoxinum	From Anti-variolic Vaccine
Variolinum	Microbial lysate from serous fluid of Small Pox pustules.

NOSODE

ANTHRACINUM

ORGANOTROPY **Nervous system, Digestive organs, SKIN**

REGION/AFFECTION SYMPTOMS AND SENSATION MODALITIES

Digestive organs:	Hard, wood-like swelling of the parotids	
(Acute Gastro-enteritis)	and sub-maxillary glands,	Right
	with disposition to diarrhoea with liquid,	

stinking stools

Skin: On a localized INDURATION OF A
(Acne, Furuncle, SUB-CUTANEOUS CONNECTIVE TISSUE,
Carbuncle, Panaritium, A BLUISH-VIOLET, almost black VESICLE
Erysipelas, develops, accompanied by intense BURNING
Phlegmone, Gangrene) PAINS. The vesicle FORMS ULCER with
SHARP, STINKING SECRETIONS. Transition
as GANGRENE. Haemorrhages of thick, black,
quickly decomposing blood. Rapidly becomes
TOXAEMIA

ANTHRACINUM

Mind and Emotion:	Increased sensitivity. Anxiety conditions,
(Adynæmia, Delirium)	fears death of his near ones
General:	Rapid transition of (SKIN) -INFECTIONS WITH
(Septicemic prostration, Collapse)	INTENSE BURNING PAINS, with FORMATION OF ULCERS WITH SHARP, STINKING SECRETIONS in a SEPTICAEMIC CONDITION with emaciation and total exhaustion with thready pulse because of it. Carbuncles; malignant ulcers. Skin dry, burns and itches violently. Dissecting wounds, Insect stings
Side affected:	
Thermo-regulation:	High fever with anxiety states, delirium and fainting
Disposition to Perspiration:	
Thirst:	Much thirst
Desire for:	
Aversion to:	
Intolerance:	
Stool evacuation:	Diarrhoea, stinking
Urination:	
Sleep:	
Dreams:	
Sexuality:	
Menstruation:	Strength:
	Duration:
	Onset:

Leucorrhoea:

Stool: Fluid, **stinking diarrhoeas**

Urine:

Perspiration:

MODALITIES

Agg:

Amel:

NOSODE

COLIBACILLINUM

(and **ANTI-COLIBACILLARY SERUM**)

ORGANOTROPY

NERVOUS SYSTEM, DIGESTIVE ORGANS,
URINARY and SEXUAL ORGANS

REGION/AFFECTION

SYMPTOMS AND SENSATION

MODALITIES

Head:

Headaches, worse from

**Mental
excitement,
Wet cold**

Eyes:

ONE-SIDED SWELLING or
bloating of UPPER LIDS

Digestive organs:

Tongue flabby, flat with yellowish-white
coating. In the center of the tongue there
is a red, smooth, flat line, without papillae.
Sensation of heaviness in stomach and
distention of the abdomen, worse after
SLOW DIGESTION

Drinking milk

COLIBACILLINUM (and ANTI-COLIBACILLARY SERUM)

Mind and Emotion:	Fearfulness, irresolution,
(Depressive mental diseases, Lassitude, Schizophrenia, Psychopathy)	sensation of emptiness in head. Every mental (and physical) exertion exhausts. Jumbles words. LOSS OF MEMORY with ANGUISH, IRRITATION. Forgets events just occurred, confusion. Indecisive. Confuses one word for another.
General:	Poor organic resistance with increasing tiresomeness and weariness ; general fatigue and depression which goes on aggravating with digestive and urinary troubles. Weakness, loss of appetite, undernourished and multiple gland inflammations of children, youth and adults. SLOW DIGESTION. Never well since an old urinary or intestinal trouble. Psychosis with dragging genito-urinary troubles.
Side affected:	
Thermo-regulation:	Sensitivity to cold with chilliness, after eating
Disposition to Perspiration:	
Thirst:	
Desire for:	
Aversion to:	
Intolerance:	Milk
Stool evacuation:	Diarrhoea with dehydration
Urination:	Painful sensation in kidney region, FREQUENT

(Cystitis, Prostatitis) URGING FOR URINATION. Passes small portion,
PAINFUL, WITH BURNING at the end of urination.

Kidney stones.

Sleep: Sleeplessness

Dreams:

Sexuality:

Menstruation: Strength:

(Salpingitis, Metritis) Duration:

Onset:

Leucorrhoea:

Stool:

COLIBACILLINUM (and **ANTI-COLIBACILLARY SERUM**). Contd ...

Urine: CLOUDY, very OFFENSIVE; Haematuria.

Perspiration:

MODALITIES

Agg: FROM WET COLD

AFTER MEALS

From MILK

AT SEA SHORE

Amel: From WARMTH

The therapeutic effects of **Anti-Colibacillary Serum** appears to be **covered** by *Colibacillinum*.

NOSODE

INTESTINAL BACILLUS DYSENTERIAE

ORGANOTROPY

NERVOUS SYSTEM, GASTRO-INTESTINAL,
ARTERIAL VESSELS

REGION/AFFECTION

SYMPTOMS AND SENSATION

MODALITIES

Head:

Headaches forehead, periodically

(Migraine)

recurring every

8-14 days

Heart:

Circulation:

Precordial diseases, with palpitation.

Digestive organs:

Acute stomach pains, nights

(Ulcus ventriculi

commencing between

12 and 1 o'clock

Pylorospasm)

better after **abundant mucous**

vomiting

Spasmodic vomiting of infants

INTESTINAL BACILLUS DYSENTERIAE

Mind and Emotion: NERVOUS TENSION, ANGUISH, with **fear of events** (anticipatory anxiety). **Apprehensiveness.**
during journey. Fear **Feels handicapped in crowd,**
closed places. Restless mind, apprehensive. Nervous stammering.

General: RESTLESSNESS, cannot sit quiet.
GASTRO-INTESTINAL and VASCULAR
babies; Lips **SPASMS; pyloric spasms of**
dry with fissures.

Side affected:

Thermo-regulation:

Disposition to Perspiration:

Thirst:

Desire for:

Aversion to:

Intolerance:

Stool evacuation:

Urination:

Sleep:

Dreams:

Sexuality:

Menstruation: Strength:

Duration:

Onset:

Leucorrhoea:

Stool:

Urine:

Perspiration:

MODALITIES

Agg: in crowd; during journey. 02-0300hrs.

Amel: while eating

NOSODE

INTESTINAL BACILLUS GAERTNER

ORGANOTROPY

Nervous system, DIGESTIVE

REGION/AFFECTION

SYMPTOMS AND SENSATION

MODALITIES

Digestive Organs:

DIGESTION of **fat** DEFICIENT

(Paralytic, sub-ileus,

Worms. Constipation.

Oxyuria)

INTESTINAL BACILLUS GAERTNER

Mind and Emotion: Sensorial hypersensitivity, in
CHILDREN with

General: **Physical deficiencies.** Puny

(Hypothrepsia, Coeliac NUTRITIONAL DISORDERS with

disease Atonic obstipation, RETARDED DEVELOPMENT.

Ilio-caecal tumour) Restlessness of hands and feet. Nocturnal
fear in children. CANCEROUS

STATES OF OLD PERSONS

Acetonaemia in children

Side affected:

Thermo-regulation:

Disposition to Perspiration:

Thirst:

Desire for: Oat soup, cheese, eggs, milk, pudding, sugar and sweets

Aversion to: Bread, Butter, meat and Fish

Intolerance:

Stool evacuation:

Urination:

Sleep:

Dreams:

Sexuality:

Menstruation: Strength:

Duration:

Onset:

Leucorrhoea:

Stool:

Urine:

Perspiration:

MODALITIES

Agg:

Amel:

NOSODE

INTESTINAL BACILLUS MORGAN

(and **B. MORGAN GAERTNER**)

ORGANOTROPY

Nervous system, Circulation,

MUCOUS MEMBRANES of

respiratory passages, DIGESTIVE

ORGANS, uro-genital-organs,

locomotive organs,

SKIN

REGION/AFFECTION

SYMPTOMS AND SENSATION

MODALITIES

Head:

Headaches, with red face, periodic from

Warmth

(Migraine, Hypertension)

Thunderstorm

(Threatened Apoplexy)

Travel

Excitement,

Periodic Migraine. Migraine at

onset of menses

Circulation:

VENOUS CONGESTIONS with

(Erythrocyanosis)

haemorrhoids ,varicose veins, Lower

third of leg blue; **Chilblains** of hands
and feet

Respiratory passages: CONGESTIONS of MUCOUS
(Lobar Pneumonia) MEMBRANES of naso-bronchi and
(Lungs, Pleura) lung particularly in CHILDREN;

Cervical adenopathy

Digestive organs: Tongue dirty, bitter taste, pyrosis
(Liver disorders) Vomiting of mucous and gall.
Burning in stomach, throat, constipation,
itching anus, **haemorrhoids**; anal fissure.

Joints: **Arthrosis of knee, phalanges**
Nodosities of the fingers.
Soles painful.

Skin: Itching vesicles, worse in **Warmth**
(Pruritis, Eruptions) ECZEMA of INFANTS itching skin during **Dentition**
Acrocyanosis)

INTESTINAL BACILLUS MORGAN (and B. MORGAN GAERTNER)

Mind and Emotion:	Restless, irritable; tense; dwells on his health;
(Depressive Psychosis)	retreats from company; fear of crowd; less restless when alone. Depressed, suicidal disposition. Vertigo (in hypersensitive)
General:	CONGESTION OF MUCOUS MEMBRANES and ORGANS. LIVER DISORDERS with MIGRAINE. SKIN ERUPTIONS, of INFANTS. GALL BLADDER AFFECTIONS, GALL STONES (B. MORGAN GAERTNER)
Side affected:	
Thermo-regulation:	Heat flushes with CONGESTION OF HEAD (in Menopause) Feels hot at night
Disposition to Perspiration:	
Thirst:	
Desire for:	
Aversion to:	
Intolerance:	
Stool evacuation:	
Urination:	Kidney stones
Sleep:	

Dreams:

Sexuality: Corrosive Leucorrhoea. Congestion of the Bartholin gland.

Pruritis of the Vulva.

Menstruation: Strength: CONGESTION OF OVARIES with painful menses

(Dysmenorrhoea, and migraine

Salpingo-Oophoritis) Duration:

Onset:

Leucorrhoea:

Stool:

Urine:

Perspiration:

INTESTINAL BACILLUS MORGAN (and B. MORGAN GAERTNER) Contd

MODALITIES

Agg: From HEAT; night, THUNDERSTORM

From TRAVEL, EXCITEMENT

During ONSET OF MENSES

Amel:

NOSODE

INTESTINAL BACILLUS NO.7

ORGANOTROPY

NERVOUS SYSTEM, **ENDOCRINAL**

GLANDS, HEART CIRCULATION,

Digestive organs, Uro-genital organs

REGION/AFFECTION

SYMPTOMS AND SENSATION

MODALITIES

Heart:

Weak circulation

(Hypotension, Bradycardia)

Digestive Organs:

Distention of stomach

(Gastric flatulence)

Joints; Extremities:

Lumbar pains.

Stiffness of the neck,

Fibrosity of neck and

“cracks like a nut”

Shoulders

Polyarticular pains of the back, of extremities,
of the type of “old rheumatism”.

INTESTINAL BACILLUS NO.7

Mind and Emotion: MENTAL Weakness
General: PHYSICAL Weakness
(Asthenia, Dysthyroidism) **Premature senility, worn out.** Hypothyroidism
Side affected:
Thermo-regulation:
Disposition to Perspiration:
Thirst:
Desire for:
Aversion to:
Intolerance:
Stool evacuation: Scanty
Urination:
Sleep:
Dreams:
Sexuality: **Impotence** : Frigidity.
Menstruation: Strength:
Duration:
Onset:
Leucorrhoea:
Stool:
Urine:
Perspiration:

MODALITIES

Agg: Cold, humidity; beginning of movement
Amel: Heat, rest

NOSODE

INTESTINAL BACILLUS SYCOCCUS (SYCOTIC CO)

ORGANOTROPY

NERVOUS SYSTEM, MUCOUS

MEMBRANES of the **respiratory**

passages, the gastro-intestinal canals,

Urinary passage, (female) genital organs,

SYNOVIAL

MEMBRANES of the

joints, tendon sheaths; Blood : Skin

REGION/AFFECTION

SYMPTOMS AND SENSATION

MODALITIES

Head:

Headaches; Perspiration of head

Nights

(Sinusitis, Tics)

Spasms of facial muscles, eye-lid

flutterings.

Pains of the frontal and maxillary sinuses.

Respiratory passage:

Nasal and pharyngeal catarrh

Nights

(Adenoidal growths,

Enlarged tonsils, throat red, dry as if scalded.

Bronchitis, Asthma)

Cough at about 2 a.m. with dyspnoea

Digestive organs:

Nausea, after eating

Eggs

(Acetonemia,

Violent urging for stool on waking up.

Gastro-enteritis in children. Stool soft corrosive, offensive smelling

Liver insufficiency)

Extremities:

Restlessness of the feet; Pain of the

(Metatarsalgia, Chronic

metatarsus

Nights

deformity, Rheumatism)

Pains of the feet as if walking on

pebbles

Painful swollen heels.

Skin: Yellow, oily, vesicular eruptions,
(Eczema, Varicella, on face, on the body. Warts on
Verruca) skin/borders of mucous membranes

INTESTINAL BACILLUS SYCOCCUS

Mind and Emotion: EXCITABLE, sensitive, fear,
 in darkness, or to be alone

General: GENERAL EXCITABILITY. Pale, swollen
 face, yellow color, anaemic, gray hairs.
 In women: hairs on face and on upper lip.

 IRRITABILITY OF THE MUCOUS

MEMBRANES and

SYNOVIAL

MEMBRANES

Side affected:

Thermo-regulation:

Disposition to Perspiration: Perspiration of head

Nights

Thirst:

Desire for:

Aversion to:

Intolerance: **Eggs**

Stool evacuation: Violent urging on **waking up**

Urination: Burning while urinating

(Urethritis, Cystitis)

Sleep:

Dreams:

Sexuality:

Menstruation: Strength: Ovarian pains, **Left**

(Adnexitis, Duration:
Ovarian cysts, Onset:
Cervicitis)
Leucorrhoea: Copious flow, yellowish, foetid, corrosive;
Pruritis of the vulva

Stool: Smooth, corrosive, offensive-smelling

Urine: Albuminous

(Albuminuria)

Perspiration:

MODALITIES

Agg:

Amel:

NOSODE

INTESTINAL BACILLUS PROTEUS

ORGANOTROPY NERVOUS SYSTEM, ARTERIAL
VESSELS; **Stomach, Joints, Skin**

REGION/AFFECTION SYMPTOMS AND SENSATION MODALITIES

Stomach: Bloody vomiting, black stools
(Ulcus ventriculi)

Extremities: SENSATION AS IF FINGERS NUMB
(Raynaud's disease, PAINS IN THE LEGS. **Muscle cramps**
Intermittent Claudication) Pains calves. Uses a stick to walk.

Pains of neck. > pressure

Skin: Eruptions, herpetic like. Swelling
(Angio-neurotic oedema, Very abundant sweat under arm falling
Herpes) in big drops with moist hands.

of hand. **Oozing dermatitis on the back**

INTESTINAL BACILLUS PROTEUS

Mind and Emotion: CHOLERIC, AGGRESSIVE CHARACTER. Nervous
(Hysteria, Psychopathy tension with irritability of central and peripheral
in children, Epileptiform nervous systems. **Choleric, violent children**, kick
convulsions, Spasms; with the feet. Sudden violent attacks of bad temper.
Vertigo in Meniere) **Violent attacks of anger**, hurls whatever things he has
in his hands. Aggressive specially after over work. **Vertigo**.
Vertigo increasing with the rising Sun. Convulsions, muscle spasms

General:

Side affected:

Thermo-regulation:

Disposition to Perspiration:

Thirst:

Desire for:

Aversion to:

Intolerance:

Stool evacuation:

Urination:

Sleep:

Dreams:

Sexuality:

Menstruation:

Strength:

Duration:

Onset:

Leucorrhoea:

Stool:

Urine:

Perspiration:

MODALITIES

Agg:

Amel:

NOSODE

LYSSINUM (HYDROPHOBINUM)

ORGANOTROPY

NERVOUS SYSTEM, **Respiratory**

passage, DIGESTIVE and

URO-GENITAL-TRACT,

Joints, Skin

REGION/AFFECTION

SYMPTOMS AND SENSATION

MODALITIES

Head:

Chronic headaches worse from the sight

(Sun-stroke)

of or hearing sound of running

water,

bright

light

Respiratory passage:

Barking cough. Cough while

swallowing water

(Spasmodic cough, Asthma)

Digestive organs:

COPIOUS SALIVATION, with **frothy**

Clumpy saliva, compelled to spit

continuously. Throat painful with

continuous desire to swallow. **Constrictive**

sensation in throat, when or in the course of
SPASMS OF THE ŒSOPHAGUS, when
swallowing fluids. SPASMS OF STOMACH,
with nausea and **vomiting**

Joints: Cramping pains of the hips, extending to sacrum

(Lumbago, Coxarthrosis)

Skin: Blue discoloration, in injuries, wounds.

LYSSINUM (HYDROPHOBINUM)

Mind and Emotion:	Voice alters abruptly. Just now cheerful and
(Erotomania, Depression,	laughing, then suddenly sad, taciturn, bad temper.
Somnambulism, Delirium	GENERAL OVER-SENSITIVITY when looking at
tremens, Prog. Paralysis)	or hearing running water. FEAR OF WATER.
	Fear of bad news. Fear of becoming rabid.
	Fear of becoming crazy. Strange notions during
	pregnancy
General:	Restlessness , EXCITABILITY, HURRIED TALK.
(Epilepsy, Tetanic	CONVULSIONS from the SIGHT or the SOUND
convulsions convulsions	of RUNNING WATER, even from thinking of it.
of pregnancy Spasms)	SPASMS OF MUSCLES, respiratory passage,
	DIGESTIVE AND URO-GENITAL-TRACTS
Side affected:	
Thermo-regulation:	
Disposition to Perspiration:	
Thirst:	
Desire for:	Salt, Chocolate
Aversion to:	WATER
Intolerance:	
Stool evacuation:	Violent urging for stool , from the sight of water
	or hearing running of water
Urination:	Violent urging for urination , from the sight of

or hearing of running **water**

Sleep:

Dreams:

Sexuality:

SEXUAL EXCITEMENT from the sight of or

(Testicular atrophy)

hearing running of water

Menstruation:

Strength: ANAPHRODISIA, with **prolapse of**

(Vaginitis, Prolapse)

Duration: **uterus. Oversensitivity of the vagina**

Onset: **which prevents coition**

Leucorrhoea:

LYSSINUM (HYDROPHOBINUM) Contd ...

Stool:

Copious, watery, stools with abdominal pains

evenings

Urine:

Scanty, cloudy, containing sugar

Perspiration:

MODALITIES

Agg:

From **thinking of running water or bright light**

From LOOKING at or HEARING RUNNING

WATER

From SHINING LIGHT

From HEAT OF SUN

From **travelling in cars**

From **bowing, stooping**

Amel:

IN OPEN AIR

NOSODE

MALARIA OFFICINALIS

ORGANOTROPY CIRCULATORY-ORGANS, MUCOUS RESPIRATORY	NERVOUS SYSTEM, HEART- MEMBRANES OF THE PASSAGES, DIGESTIVE ORGANS, LIVER, SPLEEN, Urinary organs, muscles , Skin
--	---

REGION/AFFECTION	SYMPTOMS AND SENSATION	MODALITIES
Head: (Neuralgias)	HEADACHES IN OCCIPUT, worse from lying on the back or on the	nights left-side
Eyes:	Heavy, sleepy. Burning. Vision weak, dulled. Pain inner angle	right
Ears:	Drawing pain, external ear	right
Heart-circulatory:	Palpitation, shaking, extending to neck while SENSATION OF CHILLINESS, from the feet, rising up to the whole body	leaning head on It hand
Respiratory passage: (Rhinitis, Bronchitis, Tuberculosis)	A constricted feeling at the root of nose. Yellow, blood-streaked secretion from the posterior nares Burning pains in the chest; Burning in left	mornings

chest from **10 A. M.**
 during the whole day, radiating
 to the shoulder. RESPIRATION WEAK,
 slow, shallow. HACKING, EXPLOSIVE
 COUGH, from **talking, motion**

Digestive organs: **Dry lips:** feeling of dryness in mouth, despite
 (Enterocolitis, Infantile viscid saliva. Toothache in upper jaw.
 Toxicosis, Hepatocolitis Tongue coated, with brown line in center.
 Cholecystitis, Spleen PEPPERY TASTE ON THE TIP OF TONGUE;
 tumour) BITTER TASTE. Aversion to food. Will not
 dare to eat, the thought of it sickens. Frequent
 pyrosis. Nausea. **Burning** and rumbling in the
 stomach and abdomen. PAINS, in **umbilical**
region, with sensation of heat and heaviness
 in abdomen. PAINS, dull, throbbing, in right
 upper abdomen, worse from **sitting, lying**
 better from **slow walking**

MALARIA OFFICINALIS Contd ...

Trunk and Extremities: BACK AND LIMB PAINS, dull with feeling
 (Neuralgias) of tiredness
 Neck, painful **moving head**
Pains with paralyzed feeling of the arms,
 hands. Lumbar ache as if it would break,

radiating to the hips. Pain in the (external) **left**
hip radiating into the leg. Pains drawing
from knee to the neck without perspiration,
better **lying**
Skin: Dry, yellowish

MALARIA OFFICINALIS

Mind and Emotion: (Hypochondriasis, Asthenia, Fever delirium)	GENERAL SENSE OF EXHAUSTION, Stuporous, loss of will as if paralyzed , with sensation of pricking the whole body. Sighing, restless. Fear of becoming crazy. FEVER-DELIRIUM, nights, towards morning, sings and talks and finds no rest
General: (Convalescence, after Malaria, Malta fever, Rheumatism, Anaemia)	PALE, WEAK, as after long illness. Desires to stretch; to keep lying, not to be moved. HEADACHE, in OCCIPUT with VERTIGO and feeling UNWELL COLD
feet to	SENSATION, ascending from the whole body. FEVER, periodical, beginning at noon, night and towards morning with fast pulse, with
Thermo-regulation:	COLDNESS, first up in the hips and then in the whole body; then
Disposition to Perspiration:	COPIOUS PERSPIRATION, worse from drinking
Thirst:	
Desire for:	COLD DRINKS, SOUR THINGS, POTATOES, BEEF STEAK
Aversion to: Intolerance:	Loss of appetite
Stool evacuation:	MORNING DIARRHOEA, BLOODY,

Constipation no urge

Urination: Scanty. Urination difficult, with false urging

Sleep: RESTLESS, unrefreshing. Awakes tired, GIDDY

Rolling sensation while falling asleep.

Sleepy throughout the day, yawning

Dreams:

Sexuality:

Menstruation: Strength:

Duration:

Onset:

Leucorrhoea:

MALARIA OFFICINALIS Contd...

Stool: DIARRHOEIC, BLOOD STREAKED, slimy

evacuations, 4 - 5 times daily. Constipated

Urine: Dark, like tea; ammoniacal smelling

Perspiration: PROFUSE PERSPIRATION, from least exertion;

of the back, lower half of the body,

on the flexional folds. Night.

MODALITIES

Agg: **From MOTION**

From LEAST EXERTION

In CLOSED ROOM

Amel:

From REST

From HEAVY PRESSURE

From FRESH AIR

NOSODE

MALLEINUM (HIPPOZAENIUM)

ORGANOTROPY

RESPIRATORY PASSAGE, Glands

REGION/AFFECTION

SYMPTOMS AND SENSATION

MODALITIES

Respiratory passage:

(Chronic Rhinitis,

Sinusitis, Ozaena,

Laryngitis, Pertussis)

Nose red, swollen. Nodules on the

wings of nose. CONGESTION and

ULCERATION of the MUCOUS

MEMBRANES. **Secretions corrosive,**

bloody, stinking. **Hoarseness;** brief,

irregular, noisy respiration,

ASPHYXIATION from **profuse sputum**

Extremities:

Nodules in the muscles of the arm.

Swelling of the lymph glands

MALLEINUM (HIPPOZAENIUM). Contd.

Mind and Emotion:

General: **Marasmus** in serious disease. **Glandular swellings**, painful EAR, SUB-MAXILLARY-SALIVARY GLANDS; **lymphatic glands**
Ozaena. Chronic Rhinitis. Bronchial Asthma.

Side affected:

Thermo-regulation:

Disposition to Perspiration:

Thirst:

Desire for:

Aversion to:

Intolerance:

Stool evacuation:

Urination:

Sleep:

Dreams:

Sexuality:

Menstruation:

Strength:

Duration:

Onset:

Leucorrhoea:

Stool:

Urine:

Perspiration:

MODALITIES

Agg:

Amel:

NOSODE

MONILIA ALBICANS (Candida Albicans)

ORGANOTROPY MUCOUS MEMBRANES of the
gastro-intestinal canal, (female, external) GENITALS.
SKIN. Joints.

REGION/AFFECTION SYMPTOMS AND SENSATION MODALITIES

Digestive organs: LIPS DRY, COVERED WITH CRUSTS.
(Rhagades of lips, MOUTH and TONGUE DRY, with
Stomatitis aphthosa) BLISTERS and WHITISH DEPOSITS.

Tongue thick, furrowed, red or white
in the back part. **Gums** inflamed, bleeding.
Bad odour from mouth. **Constipation**, with
painful sensitivity particularly in caecal region

Joints: Joint pains

Skin: ECZEMA, on the skin - and MUCOUS
(Eczema, fissured, MEMBRANES with LINEAR FISSURES:
Intertrigo, Inguino- In the **axilla**, on **elbows**, on the inner and
perinaelis) outer **borders of hand**, between the **fingers**,

under the breasts, on the navel, in the **folds**
of the buttocks, on the **perineum**, in the 4th
interdigital space **between the toes**

Symmetric Eczema of the Thorax,
arms and Forearms.

Respiratory
(Allergic Asthma)

.....

MONILIA ALBICANS. Contd.

Mind and Emotion:

General: **ECZEMA WITH LINEAR FISSURES ON THE SKIN**
(Dermatomycosis, and FOLDS OF MUCOUS MEMBRANES; MOUTH
Stomatitis, APHTHOUS, WITH LIPS COVERED BY CRUSTS
Vulvo-vaginitis) INFLAMMATORY IRRITATION OF VULVA AND
VAGINA, ITCHING, MOIST, PUSTULOUS;
mostly after anti-biotic therapy
Dermatosis after antibiotics

Side affected:

Thermo-regulation:

Disposition to Perspiration:

Thirst:

Desire for:

Aversion to:

Intolerance:

Stool evacuation:

Urination:

Sleep:

Dreams:

Sexuality: **ITCHING, REDDENING, SWELLING**
of VULVA and VAGINA; BLISTERS,
moist, suppurative

Menstruation: Strength:

Duration:

Onset:

Leucorrhoea:

Stool:

Urine:

Perspiration:

MODALITIES

Agg:

Amel:

NOSODE

PENICILLINUM

ORGANOTROPY

Nervous system, MUCOUS

MEMBRANES of the **eyes**; Ears; of
PASSAGES,

the RESPIRATORY
DIGESTIVE ORGANS; **Heart-**

circulatory-organs. KIDNEYS,

(female) **Sexual organs, MUSCLES,**
JOINTS, SKIN.

REGION/AFFECTION

SYMPTOMS AND SENSATION

MODALITIES

Head:

Heavy, with unwell feeling, worse from

motion

(Neuralgia)

with intensive, **general feeling of chill.**

Pain forehead, above and behind.

right

Eyes:

Eye; SWELLING OF LIDS; more in the

(Oedema, Conjunctivitis

lower lids. Conjunctival irritation, puffy

Hordeola)	agglutinated eyelids in Lachrymation; styte developing	morning slowly
Ears: (Otitis externa)	FURUNCLE and ECZEMA of auditory meatus, with slimy-suppurative secretions. Tinnitus aurium.	
Heart: (Carditis)	Pains over the heart (precordial), worse on Palpitation, irregular heart beat, fast pulse. Extrasystoles	waking up
Respiratory passages: (Rhinitis, Sinusitis, Laryngitis, Bronchitis Asthmatica)	Coryza with slimy, or thick yellow discharge. Pains over the chest. Hoarse, DRY COUGH which occur and which compels the patient to twist and bend, better from Cough with yellow or whitish-yellow, thick expectoration, ASTHMATIC AIR HUNGER around	paroxysmally rest. 4 A.M.

PENICILLINUM Contd...

Digestive organs: (Stomatitis aphthosa, Gingivitis, Angina gastritis)	MUCOUS MEMBRANE OF MOUTH RED, with WHITISH FLECKS and gum-bleeding . TONGUE coated BROWN-YELLOW, with clear imprint of teeth. Small papules on the borders of the tongue. PAINS, particularly in the incisors - TEETH and the right upper canine teeth , with radiation to the right antrum of Highmore. Pharyngeal areola red with swelling and coated tonsils . Spasmodic pains over the stomach and around the navel	
Trunk and Extremities: (Polyarthrititis, Nephritis)	JOINT PAINS, with OEDEMAS, worse from MUSCLE PAINS with weariness from least Pains in the lumbar regions, Joints cold, as if numb, stitching	motion motion
Skin: (Eczema, Urticaria)	Sweaty skin, OEDEMA, in FACE. ERUPTIONS which secrete clear, flowing secretion. FURNUCLE, warts	

PENICILLINUM

Mind and Emotion:	FEELING OF WEAKNESS with mental
(Adynamia, Somnolence)	depression. Feels well only in lying position; any exertion difficult
General:	Changing infectious conditions. APHTHAE of
(Infectious diseases	GUMS with TOOTH ACHES, with BROWN
Polyarthritis,	TONGUE. CATARRH of MUCOUS
Chronic Reticulo-	MEMBRANES with slimy-suppurative secretions.
Endotheliosis)	ECZEMA, FURUNCLE, Warts. JOINT and
	MUSCULAR PAINS.
LIGHTENING PAINS	
	worse from motion , accompanied by stitches under the skin. ALBUMINURIA WITH
	OEDEMA
Side affected:	RIGHT
Thermo-regulation:	CHILLINESS, SUB-FEBRILE STATE, continuous fever 38° evenings, remaining for long time
Disposition to Perspiration:	Hot or cold sweat , of stale odour
Thirst:	
Desire for:	
Aversion to:	
Intolerance:	

Stool evacuation:	Constipation without urge
Urination: (Nephritis Nephrose)	Scanty. Kidney pains both sides, which radiate to hips
Sleep:	Deep, or restless; wakes at 2 hours with uneasiness; vertigo, worse from motion
Dreams:	
Sexuality:	
Menstruation:	Strength: Weak Duration: Onset: Late
Leucorrhoea:	Discharge, yellow or white, not irritative

PENICILLINUM Contd...

Stool:	Constipated
Urine:	Scanty, albuminous
Perspiration:	Hot or cold sweat , of stale odour
	MODALITIES
Agg:	AT 4 hours From WET COLD From MOTION
Amel:	From REST From DRY, WARM WEATHER

NOSODE

PYROGENIUM

ORGANOTROPY

Nervous system, HEART-CIRCULATION, Respiratory passages,

Digestive organs, Uro-genital-tract,

Trunks and Joints, SKIN

REGION/AFFECTION

SYMPTOMS AND SENSATION

MODALITIES

Head:

(Meningitis,

Mastoiditis)

Violent congestion of blood to head, with throbbing in the temples,

better from

pressure

Throbbing in head and in the ears,

Pressing **headaches**, in occiput, in

the **eyeballs**, worse from

cough

Face:

Pale, dark rings below the eyes.

Burning cheeks; trembling,

twitching alae nasi

Heart-circulation:

Consciousness of his heart.

Heart weakness, palpitation

Pulse rapid, small, thready not in

proportion to the temperature

Respiratory passages:

Cough, with copious expectoration

(Empyema, Lung abscess,

of stinking mucous worse from

motion

Gangrene)

in

warm room

	While coughing, taste, like pus	
Digestive organs:	Tongue red, as if varnished dry,	
(Infantile enteritis,	Fetid taste. Teeth dirty yellow	
Cholecystitis, Septic	coated. Abdomen distended, tense,	
Appendicitis, Typhus,	sensitive and painful	
Cholera, Anal Fissure)		
Trunk and Joints:	Feels as if whole body beaten. As if bones	
	have been broken. Numbness of the joints	
Skin:	Cold, livid, covered with cold clumpy	
(Furuncle, Phlegmonous,	stinking sweat. Stinking ulcers in	old people
Abscesses, Panaritium,		
Decubital ulcers,		
Ulcera varicosa)		

PYROGENIUM

Mind and Emotion: (Encephalitis)	High grade EXHAUSTION WITH RESTLESSNESS. Bed feels too hard; must continuously move to ease the painful parts. Mentally irritable, loquacious. Thinks that he is another person when turning on the other side in bed. Delusions about the position of parts of his body
General: (Septicaemia, Pyaemia, Puerperal toxicosis, Grippe, Gastro- intestinal Tuberculous cavity)	GENERAL INFECTIOUS SEPTIC STATE, with DIVERGENCE OF PULSE AND TEMPERATURE, oppression of heart and RESTLESSNESS. Putrid, cadaverous odour of the body, the breath , the perspiration . Bruised, sore pains all over the body. STINKING EXCRETIONS. Local tendency to suppuration and lymphangitis
Side affected:	
Thermo-regulation:	Oscillating Fevers. Periodical chilliness, about 19 hours. Fever
Disposition to Perspiration:	with copious cold, sticky, stinking perspiration
Thirst:	For fresh water, (which would however be vomited when it has become warm in the stomach; whereas, warm water which subdues the nausea, will be held)
Desire for:	

Aversion to:	
Intolerance:	
Stool evacuation:	Stinking diarrhoea. Brown or black stools, with involuntary passage of wind. Constipation with dry, black, carrion-like stinking stools
Urination:	Tormenting urge for urination (Bladder tenesmus)
Sleep:	Restless ; crying out from oppression of chest, with choking sensation
Dreams:	Anxious dreams
Sexuality:	

PYROGENIUM **Contd. ...**

Menstruation:	Feverish.
(Puerperal Fever,	STINKING MENSTRUAL BLOOD
Metrorrhagia,	Uterine bleeding, black, stinking.
Abscesses of Mammary Glands)	Lochia stinking , brown, with chilliness, fever, sweat.
Leucorrhoea:	
Stool:	Carrion-like stinking, diarrhoeic , brown

or black, dry.

Urine: Scanty, dark colored. Albuminuria with
Cylinders. Urine of putrid smell.

Perspiration: **Stinking sweat**, copious, cold, clammy

MODALITIES

Agg: From **PROGRESSIVE MOVEMENTS**
From TOUCH

Amel: From WARMTH (WARM ROOM, WARM BED,
WARM DRINKS)

From **change of position in lying**

NOSODE

STREPTOCOCCINUM

ORGANOTROPY

NERVOUS SYSTEM, Eyes, Ears,
HEART-CIRCULATION, **Digestive organs,**
Trunk and Joints, Skin.

REGION/AFFECTION

SYMPTOMS AND SENSATION

MODALITIES

Head:

VIOLENT HEADACHES, as if the

(Migraine)

head would split

Eyes:

Weak vision, must wear spectacles.

(Glaucoma)

Vision disturbances, with increased
pressure of eyes. Uveitis

Ears:

Ear pains, while

lying on left

(Tinnitus)

Intermitting murmurs in the right ear.

Heart-circulation:

FEELING OF WEAKNESS OF HEART,

(Cardialgia, Endo-,

Pains over the heart,

Myo-Pericarditis)

spasmodic in the apex

Digestive organs:

Lips taste salty. **Tip of** tongue red,

(Alveolar Pyorrhoea,

tongue coated, peels from front to

Red Angina, Spasms

back. **Gums inflamed,** painful,

of oesophagus,

suppurating. Pains of salivary

Gastritis)

ducts, after the meal, beginning

suddenly

radiating to back. Dull pains over

the stomach, cannot tolerate

	weight of the hand.	while lying
	Inclination to vomit with vertigo and vomit of greenish gall	
Trunk and Joints: (Oedema, Acute Polyarthritis, Synovitis)	Swelling of the lower limbs. Chronic oedema of lower limbs. Reddening, swelling and pains of the joints. Pain in the clavicle. Pain in vertebral column. Sensation of vibration in the vertebral column, in the body while lying stretched, in the legs from	stamping
Skin: (Erythema, Eczema Dry, Desquamating, Alopecia)	Scarlet fever-like Erythema, with excoriations. Hair falling from head Repeated Eczema.	

STREPTOCOCCINUM

Mind and Emotion: (Hallucinogenic psychotics, Encephalitis)	ILL HUMOUR WITH WEEPING without reason, with HALLUCINATIONS VISUAL AND HEARING and VIOLENT HEADACHES. Hears call for help. Sees the room completely flying. Fears going crazy. Manic depressive condition. Fear Cancer. Submissiveness Sensation of vibrations of body . Vertigo while rising up and lying down.
General:	OVER SENSITIVENESS FOR NOISE, LIGHT, DRAFT. Much debility, suppurations, Relapses (See R.E.S. HAYES in the Hom. Rec. July 1952). Infectious conditions with Leucopaenia and Proteinuria.
Side affected:	
Thermo-regulation:	
Disposition to Perspiration:	
Thirst:	
Desire for:	
Aversion to:	
Intolerance:	
Stool evacuation:	
Urination:	
Sleep:	Nightmares in sleep
Dreams:	Dreams of disputes, quarrels
Sexuality:	
Menstruation:	Strength:

Duration:

Onset:

Leucorrhoea:

Stool:

Urine:

Perspiration:

MODALITIES

Agg: From NOISE

From LIGHT

From DRAFT

Amel:

NOSODE

TUBERCULINUM DENYS

ORGANOTROPY organ , RESPIRATORY PASSAGES, Skin	NERVOUS SYSTEM, Heart-circulatory-	DIGESTIVE ORGANS,
--	---	-------------------

REGION/AFFECTION	SYMPTOMS AND SENSATION	MODALITIES
-------------------------	-------------------------------	-------------------

Head: (Migraine)	HEADACHES, which commence suddenly , remain for hours or day-long, or for days and suddenly pass off recur suddenly at irregular intervals with (or without) fever	 periodically
-------------------------	---	---

Heart-circulation:	Pains, stitching, over the heart, after	exertion
--------------------	---	-----------------

(Hypotension, Acrocyanosis)	Feeling of weakness and unwell feeling	
Respiratory passages: (Rhinitis, Allergic Laryngitis, Bronchitis, Asthma with Plethora)	COLD with mild, non irritating WATERY SECRETIONS and hoarseness comes and pass off recurring	suddenly suddenly, periodically
more on	Cough; Dyspnoea, from congestion	Pains, in the ribs and nipples, right
Digestive organs: (Gastritis, Enterocolitis)	STOMACH DISORDERS, paroxysmally, with vomiting. Irritation of appendix	
Skin: (Eczema)	Skin eruptions, moist, pustules	

TUBERCULINUM DENYS

Mind and Emotion: (Depression)	PAROXYSMAL OCCURRENCE of DEPRESSION, together with feeling of weakness and accompanying physical symptoms, in apparently healthy persons
General: (Asthenia, Tuberculinic, Tuberculinic fibrosa)	Blooming appearance. Red, congested face. SUDDENLY OCCURRING functional or organic disturbances, of variable duration, which DISAPPEAR SUDDENLY and RECUR PERIODICALLY in irregular intervals
Side affected:	
Thermo-regulation:	FEVER from least exertion, suddenly commencing with severe exhaustion and prostration
Disposition to Perspiration:	
Thirst:	
Desire for:	
Aversion to:	Loss of appetite, occurring paroxysmally
Intolerance:	
Stool evacuation:	DIARRHEA, coming on paroxysmally, continuing for 2 - 3 days, then suddenly going off
Urination:	
Sleep:	
Dreams:	
Sexuality:	

Menstruation: Strength:

Duration:

Onset:

Leucorrhoea:

Stool: WATERY, **soft**, frequent STOOLS

Urine:

Perspiration:

MODALITIES

Agg: PAROXYSMAL; SUDDEN; PERIODICALLY RECURRING.

From LEAST EXERTION

Amel: From REST

NOSODE **TUBERCULINUM MARMOREK**

ORGANOTROPY **Nervous system, HEART-
CIRCULATORY-ORGANS; MUCOUS** MEMBRANES of **respiratory
passages, Digestive organs, Bones,
Joints, Muscles, Kidneys, serous
membranes, SKIN.**

REGION/AFFECTION SYMPTOMS AND SENSATION MODALITIES

Head: Headaches; Student headaches

(Neuralgias)

Heart-circulation: **Palpitation, Constriction, Flushes**

(Hypotony, Erethism, Cardiac neurosis)		
Chest/Respiration:	Thorax, diffused painful, also from	percussion
(IC - neuralgias, Laryngitis, Bronchitis, Pleuritis, Lung congestions)	Pains in the axillae and inter-costal Pains in the axilla with SWELLING OF GLANDS IN THE AXILLA. Hoarseness,Cough. Pains in the apex of lungs	wandering
Digestive organs: (Demineralisation; Anorexia; Nervous Dyspepsia; Spastic Obstipation, Peritonitis)	Red, dry lips, crusts in the corners of the mouth. Dry mouth. Dry, red, smooth, shining tongue. Toothaches, wandering LOSS OF APPETITE. Constipation with urge	
Trunk and Joints:	Suddenly commencing joint pains, after (Tbc. Rheumatoid, bone Tbc., with muscle cramps, joint pains and fistulous bone development subfebrile temperatures pains)	exertion
Skin: (Acne Rosacea, Miliaria, Lupus, Acrocyanosis, Erythrocyanosis, Chilblains, Boeck's Pityriasis Rosea)	DRYNESS OF SKIN, appearance like granite. Small, red, more or less itching spots	

TUBERCULINUM MARMOREK

Mind and Emotion: Cheerful, restless, oversensitive, IRRITABLE

(Hypersensitivity, Asthenia)

General: APPETITE LESS, THIN, pale, restless,

(Tuberculinic; erethetic (more likely, young) tuberculinic

**Bone-, Peritoneal-,
Kidney-, tbc)** **who are inclined to suffer from feverish
conditions, HYPOTONIC CIRCULATORY**

DISTURBANCES and severe constipation.

DRYNESS OF MUCOUS MEMBRANES

and SKIN. SWELLING OF LYMPHATIC

GLANDS of the axilla

Side affected:

Thermo-regulation:

Disposition to Perspiration:

Thirst:

Desire for: LOSS OF APPETITE

Aversion to:

Intolerance:

Stool evacuation: **Constipation, without urge**

Urination:

Sleep: **Sleeplessness of school children; they**

are late in going to sleep

Dreams:

Sexuality:

Menstruation: Strength:

Duration:

Onset:

Leucorrhoea:

Stool: **Hard, dry stools.**

Urine:

Perspiration:

MODALITIES

Agg: From MENTAL EXERTION

From PHYSICAL EXERTION like LONG WALKS

BEFORE MENSES

Amel: From REST

NOSODE

TUBERCULINUM RESIDUUM

ORGANOTROPY	SEROUS MEMBRANES of Respiratory organs, Heart-circulatory- sheaths, JOINTS, Connective tissues,	organs, tendon Skin.
-------------	---	--------------------------------

REGION/AFFECTION	SYMPTOMS AND SENSATION	MODALITIES
------------------	------------------------	------------

Respiratory organs: (Tuberculinic fibrosa, Pleuritis sicca)	Respiratory ailments	
Digestive organs: (Chronic fibrous adhesive Peritonitis)	Abdominal ailments, digestive disorders	
Trunk and Joints: (Spondyloarthritis, Arthrosis, Ankylosis, Heberden's Nodes)	Stiffness of the joints, on not influenced by atmospheric variations. Drawing PAINS IN THE JOINTS, worse while at Tendon sheaths inflammations, with consequential deformities of the joints, ankylosis and arthrosis. Stiffening of the spine; arthrosis of thumb base joint. Nodes in the fingers	waking up, rest.
Skin: (Acne Conglobata)	Dry skin, scanty perspiration. Nodes in the shoulders and back	

TUBERCULINUM RESIDUUM

Mind and Emotion:

General: **Pale**, gray complexion; bright-red lips;
mostly the lower lip cracked in its entire length.
Thin, despite good appetite. JOINT PAINS,
PERIODICALLY occurring, afebrile recurrence
of FIBROUS INFLAMMATIONS of SEROUS
MEMBRANES and JOINTS. TENDENCY OF
PROGRESSIVE STIFFNESS OF JOINTS

Side affected:

Thermo-regulation:

Disposition to Perspiration: Scanty perspiration

Thirst:

Desire for:

Aversion to:

Intolerance:

Stool evacuation:

Urination: Scanty, offensive smelling

Sleep:

Dreams:

Sexuality:

Menstruation: Strength:

Duration: Drawing pains in the lower abdomen

Onset:

Leucorrhoea:

Stool:

Urine: Scanty, offensive smelling

Perspiration:

MODALITIES

Agg: From REST

From MOTION, GYMNASTICS

Amel:

NOSODE

VACCINOTOXINUM

ORGANOTROPY

CNS, PERIPHERAL NERVES, MUCOUS
MEMBRANES of the EYES, NOSE,
**respiratory passages, gastro-intestinal
tract.** SKIN, supporting tissues

REGION/AFFECTION

SYMPTOMS AND SENSATION

MODALITIES

Head:

Pains and **heat** in the forehead, in

morning hours

(Headaches)

as if the forehead would burst.

Stitching as from needles, in

both temples. In the

right temple

With the **sensation of numbness.**

Bursting pains in forehead and eyes

at nights

Face:

Red and **swollen**, spotted.

Swelling in the parotid glands region

right

Eyes:

REDNESS and SWELLING OF LIDS.

(Conjunctivitis,	Pains in the eyes and orbits, bursting .	
Blepharitis, Iritis,	Stitching in the inner canthus	left
Keratitis)	Vision disturbances; in the mornings , as if a veil before the eyes	
Respiratory passages:	Nose as if stopped , with discharge .	
(Rhinitis)	Epistaxis. Stitches in chest	left,
	in the top of the false ribs. Dyspnoea.	
Heart-circulation:	Palpitation of heart and vessels.	
(Erethism)	Oppression in the heart region	
Digestive organs:	Mouth and tongue dry . Tongue	
(Gastro-enteritis,	thick, yellow coated. The papillae	
with liver involvement)	project themselves through the coating. Loss of appetite . Aversion to smell or sight of food.	
	Coffee tastes sour. Distended abdomen ,	
	stomach pains. Lancinating pains in liver region, stitching in splenic region	

VACCINOTOXINUM Contd...

Trunk and Joints:	Stiffness, trembling, pains of the	left
(Rheumatism paralysis,	arm. Pain in the wrist joint and hands	
Periarticular rheumatism	as from a warm draft. Feeling of numbness	
of tendons and muscles,	and burning of 4th finger	left
Arthrosis)	BACKACHES, radiating to waist.	
	Sensation of ice water along the back.	
	Legs heavy, painful, as if after severe exertion,	
	difficult to raise.	
	Sensation as if the left thigh torn off, as if the	
	limbs have become short, the bones crushed, broken	
		Pressive pain in the knees.
Sensation of chewing in		the bones; as if bones have
become short.		
Skin:	Dry. BLISTERS and PUSTULES with	
(Herpes, Varicella,	BURNING PAINS. Small nodules and	
Erysipelas, Phlegmone,	pustules, of dark-red colour; round or lengthy	
Acute eczema)	pustules, containing yellowish-green pus, behind	
	the right ear, between the shoulders, on the left	
	shoulder on the left buttock.	

VACCINOTOXINUM

Mind and Emotion:	Weepy , bad humour, disturbed because of his
(Depressive	business. Sulky; Confused ; forgetful ; RESTLESSNESS
Psychotics)	IMPATIENT, IRRITABLE. Morbid fear of
	contracting pox.
General:	Weak feeling with desire to yawn and
("Sycotic"	stretch. Children want to be carried.
Conditions)	Indisposition, jaded SEVERE FATIGUE,
	with BACK and JOINT PAINS.
Side affected:	
Thermo-regulation:	FEVER, with extreme heat .
Disposition to Perspiration:	
Thirst:	Thirst .
Desire for:	Loss of appetite . Aversion at sight
	of or smell of food.
Aversion to:	
Intolerance:	
Stool evacuation:	
Urination:	Increased, diminished.
(Nephritis, oedema)	
Sleep:	Unrefreshing; wakes with bursting pains
	in forehead and eyes.
Dreams:	
Sexuality:	
Menstruation:	Strength: Heavy

Duration:

Onset: too early

Leucorrhoea:

Stool:

Urine: Albuminuria, Haematuria

Perspiration:

MODALITIES

Agg: Morning; by humidity.

Amel: Movement. Laterality- left.

NOSODE **VARIOLINUM**

ORGANOTROPY CNS, PERIPHERAL NERVES, MUCOUS
 MEMBRANES of EYES, NOSE, **respiratory** **passages, gastro-**
intestinal canal. SKIN. Suppurating tissues.

REGION/AFFECTION	SYMPTOMS AND SENSATION	MODALITIES
------------------	------------------------	------------

Head: (Neuralgias)	Sensation of a tight band around the head. Occipital pains , violent, unbearable.	
-----------------------	--	--

Benumbed feeling

Eyes: **Redness and swelling of the lids.**

(Conjunctivitis, Keratitis.	Sees green colour on Loss of vision	looking up.
--------------------------------	--	--------------------

Chr. Ophthalmia)

Respiratory passage: (Rhinitis, purulenta)	Sensation of obstruction of nose , with purulent discharge. Throat sensitive, as if constricted, oppression. Lump	
---	--	--

	sensation in the back part of pharynx.	right.
	Cough, with expectoration of thick, lumpy, bloody mucous	
Digestive organs: (Gastro-enteritis)	Nausea, caused by every Taste foul, coppery. Tongue hangs out of mouth during sleep. Vomiting, distention of the abdomen, diarrhoea	smell.
Trunk and Joints: (Neuritis, Post-herpetic)	Sensation as if a thin line of ice-cold water is flowing down the back. Tormenting backaches , in lumbo-sacral region, radiating to the abdomen. Acne of joints, pains in the wrist joints	
Skin: (Acne pustulosa, Varicella, Herpes Zoster)	Red, dry, hot, petechiae. BLISTERS or PUSTULOUS ERUPTIONS with BURNING PAINS	

VARIOLINUM

Mind and Emotion: **Morbid fear** of contracting pox.

(Post vaccinal RESTLESSNESS, **irritability**, weeping
Conditions, Encephalitis)
General: GENERAL EXHAUSTION, WEAKNESS, **Vertigo**.
(Asthenia)

Side affected: (Right)
Thermo-regulation: HIGH FEVER, **with violent radiating heat**.
Disposition to Perspiration: INTENSE PERSPIRATION, **of offensive smell**.

Thirst:
Desire for: Loss of appetite.

Aversion to:

Intolerance:

Stool evacuation: Diarrhoea

Urination: Bilateral renal pain always accompanied by a dorsal pain.

Sleep:

Dreams:

Sexuality:

Menstruation: Strength: Metrorrhagia accompanied by lumbar pain.

Duration:

Onset:

Leucorrhoea:

Stool: Diarrhoeic.

Urine:

Perspiration: Offensive.

MODALITIES

Agg: Movement.

Amel:

PATHOLOGICAL REPERTORY OF THE NOSODES

(According to O.A. JULIAN)

ABSCESSSES	Pyrogenium
ABSCESS OF THE LUNG	Tuberculinum (Bacillinum)
ACETONAEMIA	B. Sycoccus
ACNE	Anthracinum, Psorinum, Tuberculinum
ACNE CONGLOBATA	Tuberculinum (Residuum)
ACNE PUSTULOSA	Variolinum
ACNE ROSACEA	Tuberculinum (Marmorek)
ACROCYANOSIS	B. Morgan, Tuberculinum (Denys, Marmorek)
ADDISON'S DISEASE	Tuberculinum (Bacillinum), Malaria officinalis
ADNEXITIS	Colibacillinum, Medorrhinum, B. Morgan, B. Sycoccus Tuberculinum (Bacillinum, Residuum)
ADENOID VEGETATIONS	GONOTOXINUM, Mucor M., Psorinum, B. Sycoccus, Tuberculinum
ADYNAMIA, increased susceptibility	Anthracinum
AGEING, premature with memory disturbances	B. No.7, Medorrhinum
ALCOHOLIC STIMULANTS, desire for	LUESINUM, MEDORRHINUM
ALCOHOLISM	Luesinum

ALLERGIES	ANAPHYLACTIC LUNG
ALOPECIA	Luesinum, Streptococcinum, Tuberculinum (Bacillinum)
ALTERNATINGLY, symptoms	
appearing	PSORINUM
ANAEMIA	Malaria officinalis, Medorrhinum, MUCOR M, STR-E-COCC, B. Sycoccus, Tuberculinum (Spengler)
ANAL Fissures	Luesinum
ANAL Fistulae	Pyrogenium
ANAL PRURITIS, with worms	Medorrhinum
ANGINA, malignant, Pseudo-	
membrane from beginning, dark;	
no difficulties in swallowing,	
no pains, exhausted state.	DIPHROTHEROTOXINUM
ANGINA, chronic	Medorrhinum, PARATYPHOIDINUM B
ANGINA PECTORIS	Luesinum
ANOREXIA	BRUCELLA M., (Vaccinotoxinum) TUBERCULINUM (BCG, MARMOREK)
ANOREXIA, of infants	Anaphylactic lung, TUBERCULINUM (AVIAIRE)
APHTHAE	Psorinum
APHTHAE, in mouth, with scaly lips	MONILIA A
APHTHAE with Gingivitis,	
brown tongue, toothache	PENICILLINUM
APPEARANCE, puffy, pasty	MALANDRINUM
APPENDICITIS, chronic	Tuberculinum, Streptococcinum, Colibacillinum

ARTERIOSCLEROSIS	Luesinum
ARTHROSIS	Tuberculinum (Residuum), Vaccinotoxinum
ARTHROSIS of Knee	Tuberculinum (Bacillinum)
ARTHROSIS of Knees, small joints	B. Morgan
ASTHENIA,	MUCOR M, B. No.7, PENICILLINUM, Scarlatinum, STRE- E-COCC., TUBERCULINUM (AVIAIRE, BCG)
ASTHENIA, Post-infectious	Malaria
ASTHENIA,	
with chronic Hypotension	TUBERCULINUM (BCG)
ASTHMA	ANAPHYLACTIC LUNG, Luesinum, Malleinum, Medorrhinum, PENICILLINUM, Pertussinum, Psorinum, B. Sycoccus, Tuberculinum.
ASTHMA, Humid	Tuberculinum (Bacillinum), Mucor-M
ASTHMA, Infantile with Fever phases	Tuberculinum (Aviaire)
ASTHMA, of plethoric people	Tuberculinum (Denys)
BACK and joint pains	MALARIA
BACK and joint pains,	
with much fatigue	VACCINOTOXINUM
BED-WETTING	Lyssinum, Medorrhinum, Psorinum, Tuberculinum
BLEPHARITIS	Medorrhinum, Psorinum, Tuberculinum, Vaccinotoxinum
BOECK'S disease	Tuberculinum (Marmorek)
BONES, Cysts, Necrosis, Ulcers	Luesinum
BONES AND JOINTS	
Tuberculosis, fistulating	Tuberculinum
BRAIN AND SPINAL CORD,	
Organotropic Nosodes	Luesinum, Lyssinum, POLIOMYELITIS, Variolinum
BREATH, stinking	DIPHTherotoxinum, MALANDRINUM

BRONCHITIS	Influenzinum, B.Sycoccus, Malaria, Tuberculinum (Marmorek)
BRONCHITIS, Capillary	Tuberculinum
BRONCHITIS, chronic of old people	Diphtherotoxinum
BRONCHITIS, grippal	Tuberculinum (Aviaire)
BRONCHO-PNEUMONIA	Tuberculinum (Marmorek)
BROCHO-PNEUMONIA, of children	Tuberculinum (Aviaire)
BRONCHIECTASIS	Psorinum, Tuberculinum (Bacillinum)
CALCIUM DEFICIENCY, with Phosphaturia	MUCOR M
CANCER, old people	B. GAERTNER
CARBUNCLE	Anthracinum
CARDIALGIAS	Luesinum, Streptococcinum
CATATONIA	Colibacillinum, Psorinum
CERVICITIS	Luesinum, Medorrhinum, Psorinum, B.Sycoccus, Tuberculinum
CHARACTER DISORDERS	Medorrhinum
CHARACTER DISORDERS, of Children	B.Proteus
CHEST PAINS, in Bronchitis and Pleuritis	Tuberculinum
CHILBLAINS	B. Morgan, Tuberculinum (Marmorek)
CHILLY, sensitive to cold	MEDORRHINUM, PSORINUM, TUBERCULINUM, Colibacillinum
CHOLECYSTITIS acute	Pyrogenium, Paratyphoidinum B
chronic	B.Morgan, Paratyphoidinum B, Colibacillinum

subacute	Paratyphoidinum BB
CHOLERA INFANTUM	Medorrhinum, Psorinum
CHOLELITHIASIS	B.Morgan
CHOLERIC, aggressive nature	B.Proteus
CICATRISATION, delayed	MALANDRINUM
CIRCULATORY DISTURBANCES, Peripheral, Arterial	B.Proteus
COLDS, recurrent	TUBERCULINUM
CONCENTRATION, wanting of	MEDORRHINUM
CONDYLOMA	Medorrhinum, Penicillinum
CONGESTION, of lungs	B.Morgan, Tuberculinum (Aviaire, Marmorek)
CONGESTION, of the mucous membranes and organs	B.MORGAN
CONSTIPATION	BRUCELLA M
CONVALESCENCE, delayed	Psorinum
CONVULSIONS, of Children	Medorrhinum, PERTUSSINUM
CONVULSIONS, epileptiform	Lyssinum, Pertussinum, B.Proteus
CORYZA, with copious watery discharge	TUBERCULINUM (DENYS)
COUGH	Leusinum, Lyssinum, Malaria, Medorrhinum, PENICILLINUM, PERTUSSINUM, Psorinum, TUBERCULINUM (AVIAIRE, BACILLINUM), Variolinum
COUGH, acute, loud irritative cough	TUBERCULINUM (AVIAIRE)
COUGH, attacks, spasmodic with mucous expectoration	PERTUSSINUM
COUGH, chronic in Winter	Psorinum

COUGH, chronic with mucopurulent expectoration	TUBERCULINUM (BACILLINUM)
COUGH, dry, asthmatic	PENICILLINUM
COUGH, nightly	Luesinum, Medorrhinum
COUGH, spasmodic	Lyssinum
COX ARTHROSIS	Lyssinum
CYANOSIS of the face	PERTUSSINUM
CYSTITIS, acute and chronic	Colibacillinum, Enterococcinum, Paratyphoidinum B, B.Proteus, Tuberculinum
DAZED CONDITION, with hallucination	Medorrhinum
DECUBITUS, with crust formation	Pyrogenium
DELIRIUM, acute	Lyssinum
DEMINEALISATION, of Children	Psorinum, Tuberculinum
DEPRESSION	Tuberculinum (Denys), Vaccinotoxinum
DIABETES MELLITUS	Medorrhinum
DIARRHOEA, foul smelling	Psorinum
DIARRHOEA, mornings, bloody with pains in liver and splenic region	MALARIA
DIARRHOEA, stinking	PARATYPHOIDINUM B
DIARRHOEA, with liquid stinking stools	Anthracinum
DIGESTION of fat, disordered	B. Gaertner
DIGESTION, slow	COLIBACILLINUM
DIGESTIVE DISORDERS	TUBERCULINUM (BCG)

**DRYNESS of throat
with absence of thirst**

DUPUYTREN's contraction

DYSENTERY

DYSMENORRHOEA

DYSPEPSIA, nervous

DYSTHYROIDISM

ECLAMPSIA

ECZEMA (see "eruptions",
"skin eruptions")

ECZEMA, acute

ECZEMA and Furuncle

ECZEMA, chronic

ECZEMA, chronic,

moist particularly after vaccination

ECZEMA, chronic, of the scalp

ECZEMA, dry, scaling

ECZEMA, dry, itching,

scaling with Fissures

ECZEMA, eyelid

ECZEMA, new born infants

ECZEMA, of the finger, hands,

Anaphylactic lung

Tuberculinum (Residuum)

Lyssinum, Tuberculinum

Luesinum, Medorrhinum, B. Morgan

Tuberculinum (Marmorek)

B. No.7

Lyssinum

Malandrinum, Medorrhinum, Monilia A.,

B. Morgan, Penicillinum, Psorinum, Streptococcinum,
Str-e-cocc, Tuberculinum, (Denys), Vaccinotoxinum, B.
Sycoccus

Vaccinotoxinum

PENICILLINUM

Monilia A.

Malandrinum

Psorinum

Streptococcinum

Tuberculinum

TUBERCULINUM (BACILLINUM)

Stre-e-cocc

popliteal space, axilla, mammae,	
elbow, anal region,	
folds of buttocks	Monilia A
ECZEMA, of infants	B. MORGAN
ECZEMA, of auditory meatus	Tuberculinum (Bacillinum)
ECZEMA, peri-anal, of infants	Medorrhinum
ECZEMA, with linear fissures	
of the skin and folds of	
mucous membrane	MONILIA A
EMACIATION	Paratyphoidinum B, Tuberculinum (Bacillinum)
EMPYEMA	Pyrogenium
ENCEPHALITIS	Pyrogenium
ENCEPHALITIS, post vaccinal	VARIOLINUM
ENCEPHALOPATHY, with feeble-	
mindedness	Pertussinum
ENTERITIS, infectious	Pyrogenium
ENTERITIS, summer	Paratyphoidinum B
ENTEROCOLITIS	Pyrogenium, Tuberculinum (Denys)
ENTEROCOLITIS, haemorrhagic	Eberthinum
EPILEPSY	LUESINUM, Lyssinum, Tuberculinum
EPISTAXIS	Medorrhinum, Tuberculinum
EPISTAXIS, stinking secretion	DIPHROTOTOXINUM
EROTOMANIA	Lyssinum
ERUPTIONS,	
(see "skin eruptions," eczema)	BRUCELLA M

ERUPTIONS, blisters or pustules, with burning pains	VACCINOTOXINUM
ERUPTIONS, scalp, itching, particularly in evenings	MALANDRINUM
ERYSIPELAS	Anthracinum, Vaccinotoxinum
ERYTHEMA nodosum	Tuberculinum
ERYTHROCYANOSIS, of young girls	B. Morgan, Tuberculinum (Marmorek)
EXCICCOSE, Hydropenia	PARATYPHOIDINUM B
EXCITABILITY TUBERCULINUM, VACCINOTOXINUM	BRUCELLA M., LYSSINUM, B. SYCOCCUS,
EXCITABILITY, easy	TUBERCULINUM
EXHALATIONS, bad	MEDORRHINUM, PSORINUM
EXHAUSTION, mental and physical	B. No.7
EXHAUSTION, with profuse diarrhoea	EBERTHINUM
EXHAUSTION, with restlessness	PYROGENIUM
EXOSTOSIS	Luesinum, MALANDRINUM
EYES, chronic (Conjunctival inflammation)	Luesinum, MORBILLINUM, Psorinum, VACCINOTOXINUM
EYES, Organotropic Nosode	Diphtherococcinum, Gonococcinum, Herpes-virus
FACIAL paresis, after chilling	Botulinum, Luesinum
FAINTING SPELLS	BRUCELLA M
FEAR of animals, particularly dogs	TUBERCULINUM
FEAR of night, of diseases	Luesinum

FEVER	Anthracinum, BRUCELLA M, MALARIA, PARATYPHOIDINUM B, PENICILLINUM, STR-E-COCC, TUBERCULINUM (BCG, DENYS) VACCINOTOXINUM, VARIOLINUM
FEVER-ATTACKS	STR-E-COCC
FEVER-ATTACKS from least exertion	TUBERCULINUM (DENYS)
FEVER, light, of short duration	TUBERCULINUM (BCG)
FEVER, subacute, protracted	Paratyphoidinum B
FEVER, sub-febrile, chilly, asthenic	PENICILLINUM
FEVER, with anxiety and delirium	Anthracinum
FEVER, with chilly feeling, then heat and copious perspiration	MALARIA
FEVER, with much perspiration, from exertion; nights	Variolinum, BRUCELLA M
FIBROMA	Luesinum
FURUNCLE	Anthracinum, Malandrinum, Penicillinum, Psorinum, Pyrogenium, STAPHYLOCOCCINUM
GASTRITIS	Medorrhinum, Monilia A., Tuberculinum (Denys)
GASTRO-ENTERITIS, acute	Anthracinum, Paratyphoidinum BB, Pyrogenium
GASTRO-ENTERITIS, chronic	Colibacillinum
GASTRO-ENTERITIS, of children	B.Sycoccus
GINGIVITIS	Monilia, Str-e-cocc, Tuberculinum
GINGIVITIS, with aphthae, brown tongue, toothaches	PENICILLINUM
GLANDS, hypertrophy	TUBERCULINUM (AVIAIRE, BCG)
GLANDS, hypertrophy of the	

mediastinal glands	TUBERCULINUM (BCG)
GLANDS, inflammed, septic	TUBERCULINUM (BCG)
GLANDS, inflammation during dentition	Mucor M
GLANDS, inflammation of the parotid gland and maxillaris	Anthracinum
GLANDS, of the throat swollen	DIPHROTHEROTOXINUM
GLANDS, Lymphadenopathy	Luesinum, Streptococcinum, TUBERCULINUM (BCG)
GLANDS, Organotropic Nosodes	LUESINUM, STREPTOCOCCINUM, TUBERCULINUM
GOUT	Medorrhinum
GRIPPE	INFLUENZINUM, Pyrogenium, Str-e-cocc, Tuberculinum (Aviaire)
GRIPPE, with moderate fever and high grade weakness	INFLUENZINUM
GRIPPE, gastrointestinal	Pyrogenium
GROWTH DISTURBANCES, stunted growth	B. GAERTNER, Tuberculinum (Bacillinum)
HAEMORRHOIDS	LUESINUM, B. Morgan
HASTINESS, with twitching in legs and burning in heels	MEDORRHINUM
HAY-FEVER	Psorinum, Tuberculinum
HEADACHES	BRUCELLA M., B.Dysenteriae, INFLUENZINUM, Luesinum, Lyssinum, MALANDRINUM, MALARIA, Medorrhinum, B. Morgan, STREPTOCOCCINUM,

	B.Sycoccus, TUBERCULINUM (Aviaire, BACILLINUM, Marmorek), Vaccinotoxinum
HEADACHES, chronic	Lyssinum, Tuberculinum (Marmorek)
HEADACHES, congestive	B. Morgan
HEADACHES, deep-seated, worse from movement	TUBERCULINUM (BACILLINUM)
HEADACHES, occipital, with band sensation	Variolinum
HEADACHES, occipital, with pale appearance	MALANDRINUM
HEADACHES, occipital, with vertigo and indisposition	MALARIA
HEADACHES, of students	B. Sycoccus, Tuberculinum (Bacillinum)
HEADACHES, periodical	B. Dysenteriae
HEADACHES, with chills, muscle and joint pains	INFLUENZINUM
HEADACHES, with ill humour and hallucinations of sight and hearing	STREPTOCOCCINUM
HEART ailments, after rheumatism	Medorrhinum
HEART DISORDERS, Endo-Myocarditis (heart valve affection)	DIPHTherotoxinum, LUESINUM STREPTOCOCCINUM

HEART DISORDERS,	
with slow pulse	EBERTHINUM
HEART NEUROSIS	Tuberculinum
HEART, of old age	Tuberculinum
HEART, Organotropic Nosodes	DIPHTherOTOXINUM, LUESINUM, STREPTOCOCCINUM
HEART TONE, weak, arrhythmias	PARATYPHOIDINUM B
HEAT SENSATION, retrosternal	Anaphylactic lung
HEEL PAIN	Medorrhinum
HEPATITIS, chronic	Tuberculinum
HEPATOCHOLITIS	Malaria
HERPES	Luesinum, B.Proteus
HERPES, of eyelids	Tuberculinum
HERPES SIMPLEX	Luesinum, Vaccinotoxinum
HERPES TONSURANS	Tuberculinum
HERPES ZOSTER	Vaccinotoxinum, Variolinum
HOARSENESS	Diphtherotoxinum
HUNGER, gluttonous	MEDORRHINUM, PSORINUM
HYDROCELE	Tuberculinum
HYDROCEPHALUS	Tuberculinum (Bacillinum)
HYDROPHOBIA	Lyssinum
HYPERSENSITIVITY,	
sensorial, with physical,	
breakdown, particularly in children	B. Gaertner
HYPERTENSION	Luesinum
HYPPOCHONDRIACAL	Malaria
HYPOMENORRHOEA	Penicillinum

HYPOTENSION	Psorinum, Tuberculinum (Denys, Marmorek)
HYPOTHYROID	Psorinum, B. No. 7.
HYSTERIA	B. Proteus, TUBERCULINUM
IMPATIENCE	MEDORRHINUM, VACCINOTOXINUM
IMPETIGO	Malandrinum, Monilia A., Psorinum, STAPHYLOCOCCINUM, TUBERCULINUM (Bacillinum, Marmorek)
IMPOTENCE, premature senility	B. No.7, Luesinum, Medorrhinum
INCONSTANCY, changeableness of the symptoms	TUBERCULINUM
INCONSTANCY, mental	Tuberculinum (Bacillinum)
INCONTINENCE	Luesinum, Lyssinum
INFLAMMATION, after immune vaccination	Tuberculinum
INFLAMMATION, indurated, blue-violet, vesicles, ulcers	ANTHRACINUM
INSTABILITY, emotional	BRUCELLA
INSTABILTY, emotional and character disturbances, vicious, fits of rage of children	Luesinum
INTERTRIGO	Monilia A
INTESTINAL haemorrhages	EBERTHINUM
INTESTINES, Organotropic Nosodes	Colibacillinum, Enterococcinum, Paratyphoidinum B, B. Proteus, Tuberculinum
IRITIS	Luesinum, Tuberculinum, Vaccinotoxinum

KELOID	Luesinum
KELOIDS, in the vaccinated spots	Vaccinotoxinum
KERATITIS	Luesinum, Tuberculinum, Vaccinotoxinum
KIDNEY stones	Colibacillinum, B. Morgan
LARYNGITIS, chronic	Gonotoxinum, Influenzinum, Luesinum, Tuberculinum (Marmorek)
LARYNGITIS, spastic	Medorrhinum, Pertussinum
LARYNGITIS, tuberculosa	Tuberculinum (Bacillinum)
LASSITUDE, excessive	TUBERCULINUM (SPENGLER)
LEUCORRHOEA	Anaphylactic lung, Medorrhinum
LIBIDO, loss of	Psorinum
LICHEN PLANUS	Luesinum
LIPOID NEPHROSIS	Penicillinum
LIVER AND SPLEEN, affections	Malaria
LIVER INSUFFICIENCY	Medorrhinum, B. Sycoccus
LUMBAGO	Lyssinum
LUMBAR region, pain in	MALANDRINUM
LUNG, apex of, pains in	TUBERCULINUM (AVIAIRE)
LUPUS, Erythematosis	Tuberculinum (Marmorek)
LUXATIONS, relapsing	Psorinum
LYMPHOMA-GRANULOSAE,	
inguinal	Luesinum
MALTA fever, chronic	Brucella M., Malaria
MANIC states	B. Proteus
MARASMUS, chronic,	
after Salmonella infection previously	PARATYPHOIDINUM B
MASK like face	BOTULINUM
MASTITIS	Tuberculinum

MASTURBATION	Medorrhinum
MEASLES	Influenzinum, MORBILLINUM
MEASLES, with lung complication	Tuberculinum (Aviaire)
MELANCHOLY	Colibacillinum, PSORINUM, TUBERCULINUM
MEMORY DISTURBANCES, mixes up words, with asthenia, oppression, irritability	COLIBACILLINUM
MEMORY, loss of especially for one's own name, poor in calculation, in mathematics	LUESINUM
MEMORY, weakness, cannot remember that which he experienced just before	MEDORRHINUM
MENIERE's disease	Tuberculinum, B. Morgan
MENINGES, Organotropic Nosodes	MENINGOCOCCINUM, TUBERCULINUM
MENINGITIS	Influenzinum, MENINGOCOCCINUM, Pyrogenium
MENSES, elevation of temperature before	TUBERCULINUM (SPENGLER)
METEORISM	BOTULINUM
METRITIS	Colibacillinum, Medorrhinum, Psorinum, Tuberculinum
MIGRAINE	Medorrhinum, B. Morgan, Psorinum, STR-E-COCC, TUBERCULINUM (DENYS)
MIGRAINE menstrual	B. Morgan
MIGRAINE, periodical	Tuberculinum

MUCOUS MEMBRANE, irritation of the mucous membranes and synovial membranes	B . SYCOCCUS
MUSCLE spasms	B. Proteus
NAILBITING	Medorrhinum
NEPHRITIS, Albuminuria	Penicillinum, Pyrogenium, Scarlatinum
NEPHRITIS, Albuminuria and Haematuria	Tuberculinum
NEPHRITIS, post vaccinal, with Albuminuria and Oedema	Vaccinotoxinum
NEURALGIA	LUESINUM, Medorrhinum, Psorinum
NEURASTHENIA	Brucella M., Colibacillinum, MEDORRHINUM, Psorinum, Tuberculinum
NEURITIS	Malaria, Medorrhinum, VARIOLINUM
NIGHT TERRORS	B. Sycoccus, Tuberculinum
NOSE, Furuncle, relapsing	Tuberculinum
NOSE, Organotropic Nosodes	Diphtherotoxinum, STAPHYLOCOCCINUM
NOSE, Ozaena Tuberculinum	Gonotoxinum, Luesinum, Malandrinum, Str-e-cocc,
NOSE, Polyps	Gonotoxinum
NUTRITIONAL DISORDERS, Coeliac disease	B. GAERTNER
OBSTIPATION Psorinum, Tuberculinum (Marmorek)	B. Gaertner, Luesinum, Medorrhinum, B. Morgan,

OBSTIPATION, Atonic	B. Gaertner, Psorinum
OBSTIPATION, chronic	Luesinum
OBSTIPATION, spastic	Tuberculinum (Marmorek)
OBSTIPATION, with clayey stools	Medorrhinum
OBSTIPATION, with painful sensitivity, of the caecal region	Monilia A
OCCUPIED, continuous urge to be	Anaphylactic lung
OEDEMA, with Albuminuria	PENICILLINUM
OEDEMA, Angioneurotic	B. Proteus
OEDEMA, chronic, joints of the lower extremities	Brucella M., OURALINUM
ONYCHORRHEXIS (brittleness of nails due to longitudinal fissures)	Luesinum, Tuberculinum
OPPRESSION	PERTUSSINUM
OPPRESSION, with anxiety before events	B. DYSENTERIAE
OPHTHALMIA	Medorrhinum, Psorinum
ORCHITIS AND EPIDIDYMITIS	Brucella M., OURLIANUM
OSTEOCHONDROSIS juveniles dorsi (Scheuermann's disease)	Luesinum, Tuberculinum
OSTEOMYELITIS	STAPHYLOCOCCINUM
OSTEOMYELITIS, chronic	Tuberculinum
OTITIS, protracted	Mucor M
OTORRHOEA, chronic	Luesinum, Medorrhinum, Tuberculinum
OTO-SCLEROSIS	Medorrhinum, Tuberculinum
OVARIAN CYSTS	Luesinum, Medorrhinum, B.Sycoccus

OXYURIA	B. Gaertner
PAINS, burning of vertebral column and joints	MEDORRHINUM
PAINS, burning intensive	ANTHRACINUM
PAINS, in the wrist joints and aches of joints	Variolinum
PAINS, lightning like	PENICILLINUM
PAINS, of back and joints with much tiresomeness	MALARIA, VACCINOTOXINUM
PAINS, of joints and muscles	PENICILLINUM
PAINS, of joints, worse while at rest, not affected by atmospheric variations	TUBERCULINUM (RESIDUUM)
PAINS, of joints and muscles of the lower extremities	BRUCELLA - M
PAINS, particularly at nights, slowly increasing and slowly decreasing of the bones	LUESINUM
PALLOR, exhaustion	MALARIA
PALLOR, of the skin and mucous membrane	TUBERCULINUM (SPENGLER)
PALLOR, perspiration hydropenia	PARATYPHOIDINUM B
PALMS pain and heat in the ears	TUBERCULINUM (AVIAIRE)
PANARITIUM	Anthracinum, Pyrogenium STAPHYLOCOCCINUM
PARALYSIS	Luesinum
PARALYSIS, Atony	Diphtherotoxinum
PARALYSIS, Diphtheritic	Botulinum, Diphtherotoxinum

PARALYSIS, of the Vocal Cord	Diphtherotoxinum
PARALYSIS, of walking, speech, respiration	BOTULINUM
PARALYSIS, rheumatic	Vaccinotoxinum
PARASITES, chronic, intestinal	Tuberculinum
PARESIS, of the joints of lower extremities	Tuberculinum
PAROTITIS, epidemica	OURLIANUM
PEMPHIGUS	Luesinum
PERIARTHRITIS, Humero-scapularis	Medorrhinum
PERIODICITY, with agg. in Autumn and Spring	MUCOR-M
PERITONITIS	Tuberculinum (Marmorek)
PERITONITIS, fibrous adhesive	Tuberculinum (Residuum)
PERSPIRATION, nightly	TUBERCULINUM
PERSPIRATION, smelling like fish	Medorrhinum
PERSPIRATION, stinking	PSORINUM
PHLEGMON	Pyrogenium, STAPHYLOCOCCINUM
PHLEGMON, connective tissues	Vaccinotoxinum
PHLEGMON, gangrenous	Anthracinum
PITYRIASIS, Rosea and Versicolor	Tuberculinum (Bacillinum, Marmorek)
PLEURITIS, sicca and exudativa, relapsing	Tuberculinum (Marmorek), TUBERCULINUM (BCG)
PNEUMONIA, grippal	Tuberculinum (Aviaire)
POISONING from Shellfish, Mussels	Paratyphoidinum B
POLIOMYELITIS	Botulinum
POLYARTHRITIS	Botulinum

POLYARTHRITIS, beginning	Penicillinum
POLYARTHRITIS, sub-acute (see "Rheumatism")	Brucella M
POLYPS of Uterus	Medorrhinum
POX VACCINATION, desensiti- zation of ill effects after Pox vaccination	Malandrinum, Vaccinotoxinum
POX VACCINATION, retarded state, after	VARIOLINUM
PREGNANCY, vomiting of	Medorrhinum, Psorinum
PROSTATE Adenoma	Medorrhinum
PROSTATITIS	Colibacillinum, Medorrhinum, Tuberculinum
PRURITIS Analis	B. Morgan
PSORIASIS	Psorinum, Tuberculinum
PSYCHOPATHY in Colibacillosis	Paratyphoidinum B
PSYCHOTICS, Depressive	B. Morgan, Tuberculinum
PSYCHOTICS, Manic	Anaphylactic lung, Tuberculinum
PSYCHOTICS, Psychopaths, suicides	LUESINUM
PTOSIS, of the lids	Luesinum, BOTULINUM
PULMONARY Sclerosis	Tuberculinum (Residuum)
PULSE and temperature, divergence of	PYROGENIUM
PUSTULES, malignant	Malandrinum
PYLOROSPASMS	B. Dysenteriae
RAYNAUD'S Disease	B. Proteus
REACTION power, poor	PSORINUM

RECTO-COLITIS, haemorrhagic	Luesinum, Tuberculinum
REFLUX through the nose, of what was drunk	BOTULINUM, DIPHTHEROTOXINUM
RESISTANCE, very low	TUBERCULINUM (AVIAIRE)
RESPIRATION, accelerated	PERTUSSINUM
RESPIRATION, weak, with hacking explosive cough	MALARIA
RESTLESSNESS, cannot sit still	B.DYSENTRIAE, VACCINOTOXINUM
RESTLESSNESS, weeping, crying, anguish	PERTUSSINUM
RESTLESSNESS, with exhaustion	PYROGENIUM, Variolinum
RETARDED development, of children	Medorrhinum
RHEUMATISM	Brucella M., Colibacillinum, GONOCOCCINUM, LUESINUM, Malaria, MEDORRHINUM, PENICILLINUM, Psorinum, Scarlatinum, STREPTOCOCCINUM, Str-e- cocc, B. Sycoccus, TUBERCULINUM (BCG, DENYS, Marmorek, RESIDUUM), Vaccinotoxinum.
RHINITIS, chronic Tuberculinum (Denys)	Malleinum, Medorrhinum, Psorinum,
RHINITIS, purulent	Str-e-cocc., Vaccinotoxinum
RHINITIS, spasmodic	Mucor M., Pollen
RICKETS	Medorrhinum, Tuberculinum (Bacillinum)
SADNESS, with inferiority complex	PSORINUM
SALIVATION	Luesinum, Lyssinum
SCALES, (see "Eruptions," skin eruptions)	Monilia A
SCIATICA	Malaria
SCIATICA, left side	Medorrhinum

SCHIZOPHRENIA	Colibacillinum
SCROFULOSIS	MALLEINUM, Tuberculinum (Bacillinum)
SCURVY	Tuberculinum
SEBORRHOEA	Psorinum
SECRETIONS, acrid, Fish-brine odour	MEDORRHINUM
SECRETIONS, acrid, stinking	ANTHRACINUM
SECRETIONS, bad-smelling with tendency to develop into Ulcers	LUESINUM
SECRETIONS, stinking	PYROGENIUM
SEES double (Diplopia)	BOTULINUM, Luesinum, Medorrhinum
SENSITIVITY, to noise, light, drafts of air	STREPTOCOCCINUM
SEPSIS	Anthracinum, Pyrogenium
SEXUAL excitement	Lyssinum
SHATTERED, washed out feeling, with perspiration, thirst	INFLUENZINUM
SINUSITIS	Influenzinum
SINUSITIS, chronic	Mucor M., Str-e-cocc
SIT-STILL, cannot	TUBERCULINUM (BACILLINUM)
SKIN, alterations (Dermatosis) after antibiotic therapy	MONILIA A
SKIN, and appendages, hair and nails, dry	MUCOR M
SKIN, and mucous membranes, dry	TUBERCULINUM (MARMOREK)

SKIN, chapped from Washing or Cold weather	MALANDRINUM
SKIN, dry, desquamating, itching	MALANDRINUM
SKIN, Eruptions (see Eruptions "Eczema")	BRUCELLA M., LUESINUM, MALANDRINUM, MONILIA A., B. MORGAN, PSORINUM, STAPHYLOCOCCINUM, TUBERCULINUM (BCG), VACCINOTOXINUM.
SKIN ERUPTIONS, chronic, worse in cold, but itching more in warmth of bed	PSORINUM
SKIN, Eruptions, with Liver disorders, Gall stones, Migraine	B. MORGAN
SKIN, Organotropic Nosodes	Luesinum, Staphylococcinum
SLEEP, less need to, without symptoms of fatigue	Anaphylactic lung
SLEEP, restless, tossing about	MALARIA
SLEEPLESSNESS	BRUCELLA M., Colibacillinum, LUESINUM, Malaria, Medorrhinum, STR-E-COCC., Tuberculinum.
SLEEPLESSNESS of Children (MARMOREK)	TUBERCULINUM (BACILLINUM,
SLEEPINESS, persistent	MENINGOCOCCINUM
SOMNAMBULISM	Lyssinum
SPASMS, of the Digestive and Urinary tracts	LYSSINUM
SPASMS, of vessels of the Gastro-intestinal canal	B. DYSENTERIAE
SPLEEN, enlargement	Malaria
SPONDYLARTHRTIS	Tuberculinum (Residuum)
SPRAINS, recurring	Psorinum, Tuberculinum

STENOSIS, of the Rectum	Luesinum
STERILITY	Luesinum, Tuberculinum (Residuum)
STOMACH ailments - pains	BOTULINUM, TUBERCULINUM (DENYS)
STOMACH Ulcers	B. Dysenteriae, B. Proteus, Tuberculinum
STOMATITIS	Monilia A., Psorinum
STRABISMUS	Luesinum
STYES, frequent	Tuberculinum
SUDDENLY appearing functional or organic disturbances	TUBERCULINUM (DENYS)
SUNSTROKE	Lyssinum
SUPPURATION, chronic	MALANDRINUM
SWALLOWING, disturbances of	BOTULINUM, Lyssinum
SWELLING of the eyelids	Variolinum
SWELLING of the upper Eyelids, one-sided	COLIBACILLINUM
TABES	Luesinum
TALKING, very hurried	LYSSINUM
TASTE like pepper; desire for cold things, sour things	MALARIA
TEETH-CARIES	Luesinum, Tuberculinum (Bacillinum)
TEETHING, in infants, complicated with Rhinopharyngitis, Otitis, Skin diseases	Str-e-cocc Tuberculinum
TEETHING, late	Tuberculinum
THIRST, burning	Botulinum
THIRST, intense	Anthracinum
TICS	B. Sycoccus

TIMIDITY	Colibacillinum, B. Dysenteriae
TISSUE CHANGES, fibrous, in Arteries, Joints, Lungs, serous coats, skin	TUBERCULINUM (Residuum)
TOES, skin fissured, itching, Interdigital	MALANDRINUM
TONSILS, hypertrophy Tuberculinum (BCG)	Luesinum, Medorrhinum, Mucor M, B. Sycoccus,
TONSILS, Organotropic Nosodes	Meningococcinum, STREPTOCOCCINUM
TONSILS, Phlegmonous	Mucor M
TOOTHACHE	Lyssinum
TOOTHACHES, consequent to demineralisation	Tuberculinum (Marmorek)
TOOTHACHES, with Gingivitis, Aphthae	PENICILLINUM
TOOTH, neck of teeth lying exposed	Psorinum
TOXICOSIS, of Infants	Malaria, Paratyphoidinum B., Pyrogenium
TUBERCULOSIS, fibrous in plethorics	Tuberculinum (Denys)
TUBERCULOSIS, intestinal	Tuberculinum (Bacillinum)
TUMOURS, benign	Penicillinum
TUMOURS, pedunculated	Medorrhinum
ULCERS, chronic	Psorinum
UNDERNOURISHED	Tuberculinum (Bacillinum)
URAEMIA, chronic	Botulinum
URETHRITIS	B. Sycoccus, Psorinum
URINE and stool retention	BOTULINUM

URINARY disturbances, Spastics	Lyssinum
URINATION, frequent	
urging painful, burning	COLIBACILLINUM
URINE, Albuminuria in children	B. Sycoccus
URINE, Albuminuria with Oedema	PENICILLINUM
URINE, chronic Albuminuria	Enterococcinum
URINE, cloudy, bad smelling	COLIBACILLINUM
URINE, cloudy, containing Acetones	
and Uric acid	MALANDRINUM
URO-GENITAL SYSTEM,	Colibacillinum, Enterococcinum,
Organotropic Nosodes	GONOCOCCINUM, B. Morgan, B. Proteus
URTICARIA	Medorrhinum, Penicillinum
VAGINISMUS	Lyssinum, Medorrhinum
VAGINITIS	Medorrhinum
VAGINITIS, atrophic	Luesinum
VARICELLA	B. Sycoccus, VARIOLINUM
VARICES	B. Morgan
VEGETATIVE dystonia,	
with anxiety, chilliness	MUCOR M
VERTIGO	BRUCELLA M., Medorrhinum, B. Proteus,
	STR-E-COCC., Variolinum
VOLKMANN'S SYNDROME	
(Ischaemic muscle contracture)	Tuberculinum (Residuum)
VULVA, Eczema	Monilia A

VULVO-VAGINITIS	Medorrhinum, MONILIA A
WARTS	B. Sycoccus, Medorrhinum, Penicillinum
WASHES the hands frequently, as if obsessed, fears mental derangement	LUESINUM
WASTING AWAY, thinning away	BRUCELLA M., MUCOR M, Paratyphoidinum B, STR-E-COCC., TUBERCULINUM (AVIAIRE, Bacillinum, BCG, MARMOREK)
WEAKNESS, extreme	PSORINUM
WEAKNESS, feeling, mornings	Anaphylactic lung
WOUNDS, old, delayed cicatrisation	MALANDRINUM